


In the Claims

The listing of claims will replace all prior versions and listings of claims in the application.

Listings of claims

1. (original) A compound of formula (I)



or a salt, ester or prodrug thereof;

where:

X is O or NR⁶;

R⁶ is hydrogen or C₁₋₄alkyl;

R¹ is hydrogen, halo, or -X¹R¹¹;

X¹ is a direct bond, -CH₂=CH₂-, -O-, -NH-, -N(C₁₋₆alkyl)-, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, -N(C₁₋₆alkyl)C(O)-, -C(O)NH- or -C(O)N(C₁₋₆alkyl)-;

R¹¹ is hydrogen, or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, -NR⁹R¹⁰, -C(O)R⁹, -C(O)NR⁹R¹⁰ and -C(O)OR⁹;

R² is hydrogen, halo, nitro, cyano or -X²R¹²;

X² is a direct bond, -O-, -NH-, -N(C₁₋₆alkyl)-, -OC(O)- or -C(O)O-;

R¹² is hydrogen, or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, C₁₋₄alkyl, C₁₋₄alkoxy, -NR¹⁵R¹⁶, -NHC(O)NR¹⁵R¹⁶, -C(O)R¹⁵ and -C(O)OR¹⁵;

R³ is hydrogen, halo or -X³R¹³;

X³ is a direct bond, -CH₂=CH₂-, -O-, -NH-, -N(C₁₋₆alkyl)-, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, -N(C₁₋₆alkyl)C(O)-, -C(O)NH- or -C(O)N(C₁₋₆alkyl)-;

R¹³ is hydrogen or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from -NR⁷R⁸, -C(O)NR⁷R⁸, halo, hydroxy, C₁₋₄alkyl, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl;

R⁷ and **R⁸** are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl, C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₆alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, hydroxyC₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkylC₁₋₄alkyl, C₁₋₄alkoxyC₃₋₆cycloalkyl, C₁₋₄alkoxyC₃₋₆cycloalkylC₁₋₄alkyl, haloC₁₋₆alkyl, haloC₃₋₆cycloalkyl, haloC₃₋₆cycloalkylC₁₋₄alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₆alkyl, C₁₋₄alkylaminoC₁₋₆alkyl, bis(C₁₋₄alkyl)aminoC₁₋₆alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl; or **R⁷** and **R⁸** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO₂, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkoxy, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-;

R⁴ is selected from hydrogen, halo or -X⁴R¹⁴;

X⁴ is a direct bond, -O-, -NH- or -N(C₁₋₆alkyl)-;

R¹⁴ is selected from hydrogen, C₁₋₆alkyl, C₂₋₆alkenyl and C₂₋₆alkynyl;

R⁵ is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino, C₁₋₄alkylamino, bis(C₁₋₄alkyl)amino, C₁₋₄alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, C₁₋₄alkoxy, -CONHR¹⁷, -NHCOR¹⁸, -SR¹⁷, -S(O)R¹⁷ and -S(O)OR¹⁷;

R⁹, **R¹⁰**, **R¹⁵** and **R¹⁶** are independently selected from hydrogen, C₁₋₆alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₁₋₆alkyl, haloC₁₋₆alkyl, aminoC₁₋₆alkyl, C₁₋₄alkylaminoC₁₋₆alkyl and bis(C₁₋₄alkyl)aminoC₁₋₆alkyl;

or **R⁹** and **R¹⁰** together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen


and of which another is optionally selected from N, NH, O, S, SO and SO₂, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkoxy, hydroxyC₁₋₄alkylcarbonyl, C₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-;

R¹⁷ and R¹⁸ are independently selected from hydrogen, C₁₋₄alkyl, C₃₋₆cycloalkyl, C₂₋₄alkenyl and C₂₋₄alkynyl;

R¹⁹ is hydrogen, hydroxyC₁₋₄alkyl, -C(O)R²⁰, -C(O)OR²⁰, -CONR²⁰R²¹, -NHC(O)R²⁰ or -NHC(O)OR²⁰;

R²⁰ and R²¹ are independently selected from hydrogen, C₁₋₄alkyl and aryl.

2. (currently amended) A compound of formula (IA)



or salt or ester thereof

where X, X¹, X², X³, R⁴, R⁵ and R¹⁹ are as defined in relation to formula (I) and

R^{1'} is hydrogen, halo, or -X¹R^{11'};

R^{11'} is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl which group is optionally substituted by a substituent selected from halo, hydroxy, phosphonooxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, -NR⁹R^{10'}, -C(O)R^{9'}, -C(O)NR⁹R^{10'} and -C(O)OR^{9'};

R^{2'} is hydrogen, halo, nitro, cyano or -X²R^{12'};

R^{12'} is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, C₂₋₆alkenyl, C₂₋₆alkynyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, aryl, arylC₁₋₄alkyl, arylC₂₋₄alkenyl, arylC₂₋₄alkynyl, heterocyclyl, heterocyclylC₁₋₄alkyl, heterocyclylC₂₋₄alkenyl and heterocyclylC₂₋₄alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy, C₁₋₄alkyl, C₁₋₄alkoxy, -NR^{15'}R^{16'}, -NHC(O)NR^{15'}R^{16'}, -C(O)R^{15'} and -C(O)OR^{15'};

$R^{3'}$ is hydrogen, halo or $-X^3R^{13'}$;

$R^{13'}$ is hydrogen, phosphonooxy or a group selected from C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, aryl, aryl C_{1-4} alkyl, aryl C_{2-4} alkenyl, aryl C_{2-4} alkynyl, heterocyclyl, heterocyclyl C_{1-4} alkyl, heterocyclyl C_{2-4} alkenyl and heterocyclyl C_{2-4} alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^7R^8$, $-C(O)NR^7R^8$, halo, hydroxy, phosphonooxy, C_{1-4} alkyl, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl;

R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclyl C_{1-4} alkyl, C_{1-4} alkylheterocyclyl C_{1-4} alkyl, C_{1-6} alkyl, hydroxy C_{1-6} alkyl, phosphonooxy C_{1-6} alkyl, C_{1-4} alkoxy C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{3-6} cycloalkyl, phosphonooxy C_{3-6} cycloalkyl, hydroxy C_{1-4} alkyl C_{3-6} cycloalkyl, phosphonooxy C_{1-4} alkyl C_{3-6} cycloalkyl, hydroxy C_{3-6} cycloalkyl C_{1-4} alkyl, phosphonooxy C_{3-6} cycloalkyl C_{1-4} alkyl, hydroxy C_{1-4} alkyl C_{3-6} cycloalkyl C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl C_{3-6} cycloalkyl C_{1-4} alkyl, C_{1-4} alkoxy C_{3-6} cycloalkyl, C_{1-4} alkoxy C_{3-6} cycloalkyl C_{1-4} alkyl, halo C_{1-6} alkyl, halo C_{3-6} cycloalkyl, halo C_{3-6} cycloalkyl C_{1-4} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, cyano C_{1-4} alkyl, amino C_{1-6} alkyl, C_{1-4} alkylamino C_{1-6} alkyl, bis(C_{1-4} alkyl)amino C_{1-6} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl;

or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, phosphonooxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonooxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkoxy, hydroxy C_{1-4} alkylcarbonyl, phosphonooxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$;

R^9 , R^{10} , R^{15} and R^{16} are independently selected from hydrogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkyl C_{1-3} alkyl, hydroxy C_{1-6} alkyl, phosphonooxy C_{1-6} alkyl, halo C_{1-6} alkyl, amino C_{1-6} alkyl, C_{1-6} alkylamino C_{1-6} alkyl and bis(C_{1-6} alkyl)amino C_{1-6} alkyl;

or $R^{9'}$ and $R^{10'}$ together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO_2 , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C_{1-4} alkyl, hydroxy, phosphonoxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkyl, hydroxy C_{1-4} alkoxy C_{1-4} alkyl, phosphonoxy C_{1-4} alkoxy C_{1-4} alkyl, C_{1-4} alkoxy C_{1-4} alkoxy, hydroxy C_{1-4} alkylcarbonyl, phosphonoxy C_{1-4} alkylcarbonyl, C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$;

provided that a compound of formula (IA) contains at least one phosphonoxy group.

3. (currently amended) A compound or a salt or ester thereof according to claim 2 containing only one phosphonoxy group.

4. (currently amended) A compound or a salt, ester of prodrug thereof according to claim 1 wherein R^1 is hydrogen, halo or $-OR^{11}$ and R^{11} is hydrogen or a group selected from C_{1-6} alkyl, heterocyclyl and heterocyclyl C_{1-4} alkyl, which group is optionally substituted by a substituent selected from hydroxy, C_{1-4} alkoxy, hydroxy C_{1-4} alkyl, hydroxy C_{1-4} alkylcarbonyl, amino C_{1-4} alkylcarbonyl, C_{1-4} alkylamino C_{1-4} alkylcarbonyl and bis(C_{1-4} alkyl)amino C_{1-4} alkylcarbonyl.

5. (currently amended) A compound or a salt, ester of prodrug thereof according to claim 1 wherein R^2 is hydrogen, halo, $-OR^{12}$ or $-OC(O)R^{12}$ and R^{12} is hydrogen or a group selected from C_{1-4} alkyl, aryl, heterocyclyl and heterocyclyl C_{1-4} alkyl which group is optionally substituted by a substituent selected from C_{1-4} alkyl and C_{1-4} alkoxy.

6. (currently amended) A compound or a salt, ester of prodrug thereof according to claim 1 wherein R^3 is hydrogen or $-X^3R^{13}$ and R^{13} is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by $-NR^7R^8$, $-C(O)NR^7R^8$ or 1 or 2 halo, hydroxy or C_{1-4} alkoxy substituents and which heterocyclylmethyl, heterocyclylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy, C_{1-4} alkyl, hydroxy C_{1-4} alkyl or hydroxy C_{1-4} alkylcarbonyl.

7. (currently amended) A compound or a salt, ester of prodrug thereof according to claim 6 wherein R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl, C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₄alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, haloC₁₋₆alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₄alkyl, C₁₋₄alkylaminoC₁₋₄alkyl, bis(C₁₋₄alkyl)aminoC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl and hydroxyC₁₋₄alkylcarbonyl; or R^7 and R^8 together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, hydroxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkylcarbonyl and hydroxyC₁₋₄alkylcarbonyl, and where a ring $-CH_2-$ is optionally replaced with $-C(O)-$.
8. (currently amended) A compound or a salt or ester thereof according to claim 2 wherein $R^{1'}$ is hydrogen, halo or $-OR^{11'}$ and $R^{11'}$ is hydrogen, phosphonooxy or a group selected from C₁₋₆alkyl, heterocyclyl and heterocyclylC₁₋₄alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl, aminoC₁₋₄alkylcarbonyl, C₁₋₄alkylaminoC₁₋₄alkylcarbonyl and bis(C₁₋₄alkyl)aminoC₁₋₄alkylcarbonyl.
9. (currently amended) A compound or a salt or ester thereof according to claim 2 wherein $R^{2'}$ is hydrogen, halo, $-OR^{12'}$ or $-OC(O)R^{12'}$ and $R^{12'}$ is hydrogen, phosphonooxy or a group selected from C₁₋₄alkyl, aryl, heterocyclyl and heterocyclylC₁₋₄alkyl which group is optionally substituted by a substituent selected from C₁₋₄alkyl and C₁₋₄alkoxy.
10. (currently amended) A compound or a salt or ester thereof according to claim 2 wherein $R^{3'}$ is hydrogen, phosphonooxy or $-X^3R^{13'}$ and $R^{13'}$ is hydrogen or a group selected from C₁₋₆alkyl, aryl, arylC₁₋₄alkyl, heterocyclyl and heterocyclylC₁₋₄alkyl, which group is optionally substituted by 1 or 2 substituents independently selected from $-NR^7R^8$, $-C(O)NR^7R^8$, halo, hydroxy, phosphonooxy, C₁₋₄alkyl, C₁₋₄alkoxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl, phosphonooxyC₁₋₄alkylcarbonyl and C₁₋₄alkylcarbonyl.
11. (currently amended) A compound or a salt or ester thereof according to claim 10 wherein R^7 and R^8 are independently selected from hydrogen, heterocyclyl, heterocyclylC₁₋₄alkyl,

C₁₋₄alkylheterocyclylC₁₋₄alkyl, C₁₋₆alkyl, hydroxyC₁₋₆alkyl, phosphonooxyC₁₋₆alkyl, C₁₋₄alkoxyC₁₋₄alkyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkylC₁₋₄alkyl, hydroxyC₃₋₆cycloalkyl, phosphonooxyC₃₋₆cycloalkyl, hydroxyC₁₋₄alkylC₃₋₆cycloalkyl, phosphonooxyC₁₋₄alkylC₃₋₆cycloalkyl, haloC₁₋₆alkyl, C₂₋₄alkenyl, C₂₋₄alkynyl, cyanoC₁₋₄alkyl, aminoC₁₋₄alkyl, bis(C₁₋₄alkyl)aminoC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkylcarbonyl and phosphonooxyC₁₋₄alkylcarbonyl; or R^{7'} and R^{8'} together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C₁₋₄alkyl, hydroxy, phosphonooxy, hydroxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkyl, C₁₋₄alkoxyC₁₋₄alkyl, hydroxyC₁₋₄alkoxyC₁₋₄alkyl, phosphonooxyC₁₋₄alkoxyC₁₋₄alkyl, C₁₋₄alkylcarbonyl, hydroxyC₁₋₄alkylcarbonyl and phosphonooxyC₁₋₄alkylcarbonyl, and where a ring -CH₂- is optionally replaced with -C(O)-.

12. (currently amended) A compounds or a salt, ester or prodrug thereof according to claim 1 ~~any one of the preceding claims~~ wherein X is NH.

13. (currently amended) A compound or a salt, ester or prodrug thereof according to claim 1 ~~any one of the preceding claims~~ wherein R⁴ is hydrogen.

14. (currently amended) A compound or a salt, ester or prodrug thereof according to claim 1 ~~any one of the preceding claims~~ wherein R⁵ is aryl optionally substituted by 1 or 2 halo.

15. (currently amended) A compound or a salt, ester or prodrug thereof according to claim 1 ~~any one of the preceding claims~~ wherein R¹⁹ is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetyl amino.

16. (currently amended) A compound of formula (I) selected from:

2-(4-{{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(3-fluorophenyl)acetamide;

2-(4-{{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;

2-(4-{{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1H-pyrazol-1-yl)-N-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

2-(4-[[7-(2-chloroethoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(2-chloroethoxy)-6-methoxyquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-(4-[[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)acetamide;

4-[[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino]-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxamide;

ethyl 4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxylate;

2-(3-(acetylamino)-4-[[7-(3-chloropropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-(quinazolin-4-ylamino)-1*H*-pyrazol-1-yl]acetamide;

2-(4-[[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

2-(4-[[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-(4-[[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-(4-[[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-(4-([6-methoxy-7-(3-piperazin-1-yl)propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-[4-((7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-[4-((7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;
2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[allyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[4-(hydroxymethyl)piperidin-1-yl]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-[methyl(propyl)amino]propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-((cyclopropylmethyl)(propyl)amino]propoxy)-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[[2-(diethylamino)ethyl](methyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[(2-hydroxyethyl)(isopropyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-[cyclopropyl(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-[cyclobutyl(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-[allyl(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-[4-((7-[3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-[4-((7-[3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-((7-[3-(azetidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
N-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-(dimethylamino)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-(3-piperidin-1-yl)propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-(3-pyrrolidin-1-yl)propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-(3-piperazin-1-yl)propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
2-{4-[(7-{3-(cyclopropylamino)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-(dimethylamino)ethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-(4-hydroxypiperidin-1-yl)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-(3-hydroxypiperidin-1-yl)propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-(4-methyl-1,4-diazepan-1-yl)propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethoxy)ethyl]piperazin-1-yl}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[1-(hydroxymethyl)cyclopentyl]amino}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
 2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
 2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-morpholin-4-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(propylamino)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-piperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}propoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(1 α ,5 α ,6 α)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-3-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-[(2*R*)-2-hydroxypropyl]amino}propoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-[(1*S*)-2-hydroxy-1-methylethyl]amino}propoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxy-1,1-dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-(4-{[7-(3-[[2-(2-hydroxyethoxy)ethyl]amino}propoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;
2-[4-({7-[3-(4-acetylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-[4-({7-[3-(allylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-(4-([7-(3-([1-(hydroxymethyl)-2-methylpropyl]amino}propoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-(4-([7-(3-([(5-methylisoxazol-3-yl)methyl]amino}propoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl)acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(tetrahydro-2*H*-pyran-4-ylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-(4-([7-(3-hydroxypropoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl)acetamide;

2-(4-([7-(3-aminopropoxy)quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*,4*R*)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-dimethylpropyl)amino]ethoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;

2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclopropylamino)ethoxy]quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclobutylamino)ethoxy]quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-({7-[2-(cyclopentylamino)ethoxy]quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;

2-{4-[(7-{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]acetamide;

2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl]amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(2-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-(4-{[7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(glycoloylamino)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-[4-({7-[(2*S*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-(4-{[7-(pyrrolidin-3-ylmethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-[4-({7-[(1-glycoloylpyrrolidin-3-yl)methoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(3-fluorophenyl)-2-{4-[(7-hydroxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2-fluorophenyl)acetamide;
2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;
N-(2,6-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(5-isopropoxy-7-(3-piperazin-1-yl)propoxy)quinazolin-4-yl]amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]-5-isopropoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-[4-({7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(*N,N*-dimethylglycyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(2,3-difluorophenyl)-2-{4-[(5-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

N-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

N-(3-fluorophenyl)-2-[4-({7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

N-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

2-(4-{[6,7-bis(2-methoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

N-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl benzoate;

N-(2,3-difluorophenyl)-2-(4-((6-hydroxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl)acetamide;

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;

2-{3-(acetylamino)-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
ethyl 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylate; and
1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylic acid;
or a salt, ester or prodrug thereof.

17. (original) A compound of formula (IA) selected from:

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*S*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
2-{cyclobutyl[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
2-{cyclobutyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;

2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;

2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;

3-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino)-3-methylbutyl dihydrogen phosphate;

3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino)-3-methylbutyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

2-{4-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate

3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}propyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;

3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](ethyl)amino]propyl dihydrogen phosphate;

3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]propyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]-2-oxoethyl dihydrogen phosphate;

2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}-2-oxoethyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl dihydrogen phosphate;


{(2R)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
 2-{[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;
 {(2R)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 {(2R)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 {(2S)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl)methyl dihydrogen phosphate;
 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]-2-oxopiperazin-1-yl}ethyl dihydrogen phosphate; and
 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
 or a salt or ester thereof.

18-21. (cancelled)

22. (currently amended) A pharmaceutical composition comprising a compound according to claim 1 ~~as defined in any one of claims 1 to 17~~, or a pharmaceutically acceptable salt, ester or prodrug thereof, in association with a pharmaceutically acceptable diluent or carrier.


23. (currently amended) A method of treating a human suffering from a hyperproliferative disease, comprising the steps of administering to a person in need of such treatment a therapeutic amount of a compound or a pharmaceutically acceptable salt, ester or prodrug thereof according to claim 1 ~~as defined in any one of claims 1 to 17~~.

24. (original) A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt, ester or prodrug thereof, which process comprises reacting a compound of formula (II)



(II)

where L is a suitable leaving group and R¹, R², R³, R⁴ are as defined in claim 1 with a compound of formula (III)



(III)

wherein R⁵ and R¹⁹ are as defined in claim 1

in the presence of hydrochloric acid in dioxane under an inert atmosphere,
and thereafter if necessary:

- i) converting a compound of the formula (I) into another compound of the formula (I); and/or
- ii) removing any protecting groups; and/or
- iii) forming a salt, ester or prodrug thereof.

25. (original) A process for the preparation of a compound according to claim 2 or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound according to claim 1, followed by deprotection of the phosphate group to yield a compound according to claim 2.

26. (new) A method of treating a human suffering from colorectal, breast, lung, prostate, bladder, renal or pancreatic cancer or leukaemia or lymphoma, comprising the steps of administering to a person in need thereof a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt, ester or prodrug thereof.